

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 04, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-6101664, issued to EASTERN ASSOCIATED COAL/PEABODY COAL CO., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: F2-131

Farm Name: MCCOY, GEORGE

API Well Number: 47-6101664

Permit Type: PluggingDate Issued: 12/04/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.

FORM WW-4(B) Observe File Copy (Rev. 2/01)

1)Date		00	ct	ober 25,	2013	
2) Operator	's- ?					
Well No.	-EAC	LLC	#	F2-131		
3) API Well	No.	47		- 061	_	

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil X / Gas/ Liquid injection/ Waste disposal/ (If "Gas, Production or Underground storage) Deep/ Shallow _
5) Location: Elevation 1,218' Watershed Thomas Run District Clay 03 County Monongalia 61 Quadrangle Blacksville 25
6) Well Operator Eastern Associated Coal LLC 7) Designated Agent Matthew L. Bonnell Address Fairview, WV 26570 Address Fairview, WV 26570 Fairview, WV 26570
8) Oil and Gas Inspector to be notified Name Sam Ward Address P.O. Box 2327 Buckhannon, WV 26201 Pentress, WV 26544
10) Work Order: Per our 101-C petition, the work order for the manner of plugging this well Petition is as follows:
 Cut out well to a total depth, if practical, or to a minimum of 200 feet below the Pittsburgh Coal Seam. Run well logs and directional surveys. Collars of any old remaining casing will be ripped at the coal seam. A plug made of expanding cement slurry shall be pumped from at least 200 feet below the base of the coal seam to 100 feet above the coal seam. The expanding cement shall be place in the well under a pressure of at least 200 psi. After the expanding cement has hardened, it will be tagged, and the well bore annulus will be filled with porland or lightweight cement mixture, by tubing, to the surface. A suitable monument installed on the surface with the necessary well identification plate attached.
Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.
Work order approved by inspector Solventh Date 11/13/13

WW4-A Revised 2/01

1) Date:		Octo	ber 25, 2	2013	
2) Operator's Well	Numl	oer ?			
(current-George M	cCoy)	, EAC	F2-131	R	
3) API Well No.:	47		061	-	

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Own	er(s) to be served:		5) (a) Coal Ope	rator	
(a) Name	George McCoy	W	Name	Eastern Associated Coal LLC	W
Address	1110 Daybrook R	nad	- Address	1044 Miracle Run Road	
Address	Blacksville, WV 2		_ Address	Fairview, WV 26570	
(b) Nama	Diacksville, W V Z	0021	- (b) Cool Ow	ner(s) with Declaration	
(b) Name			— ` '		10/
Address			_ Name	Eastern Associated Coal LLC	VV
			_ Address	1044 Miracle Run Road	
				Fairview, WV 26570	
(c) Name			Name		
Address			Address		
					
6) Inspector			- (a) Cool I oo	see with Declaration	
370				see with Declaration	
Address			_ Name		
			$_$ Address		
Telephone					
The reason y However, yo Take notice accompanyir Protection, w the Applicat	u are not required to take an that under Chapter 22-6 of t ng documents for a permit t vith respect to the well at th	ving the well location ts is that you have right y action at all. the West Virginia Code to plug and abandon a the location described or mailed by registered	the the undersigned well of well with the Chief of a the attached Application certified mail or del	operator proposes to file or has filed this Notice and the Office of Oil and Gas, West Virginia Division on and depicted on the attached Form WW-6. Copie ivered by hand to the person(s) named above (or be	Application and f Environmental s of this Notice,
		Well Operator	Eastern Associ	ated Coal LLC	
		By:	Muthy (B)		
		Its:	Designated Age		
		Address	1044 Miracle R		
		Hadress	Fairview, WV 2		
		Telephone	(304) 368-9952	20010	
		relephone	(304) 300-9932		
Subscribed and s	worn before me this Expires	25 day	OCTO	Notary Public Mov 1420	
wassassass	***************************************				

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
EDWARD Y. HOY
306 Alta Vista Avenue
Fairmont, West Virginia 26554
My Commission Expires July 7, 2017

WV Department of Environmental Protection

SURFACE OWNER WAIVER

6101664P

Operator's Well Number

Current-George McCoy Eastern Assoc. Coal LLC F2-131

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Division of Environmental Protection 1356 Hansford Street Charleston, WV 25301 (304) 558-6342

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

		RECEIVED
I further state that I have no objection to the objection to a permit being issued on those materials.	planned work	described in these materials, and I have no
objection to a permit being issued on those materials.	-	Office
FOR EXECUTION BY A NATURAL PERSON		FOR EXECUTION BY A CORPORATION,
ETC. On		110
Deouge F Me Coy Date 6/4/	/ 2	WV Department of
Date 6/4/	Name _	WV Departorio
Signature	By _	WV Department of Environmental Protection
	Its	Date

Signature

Date

FORM	WW-4	(B)
Rever	se	

API No.	47 - 061 -	61016648

Farm Name George McCoy

Well No. EAC F2-131

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Division of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

		WAIV	ER
location work pro	has examined this proposed plug	ging work	r/ lessee/ of the coal under this well order. The undersigned has no objection to the vided, the well operator has complied with all nd the governing regulations.
Date:	October 25, 2013	By: _ Its _	Eastern Associated Coal LLC Multi- Bornel Designated Agent
			RECEIVED Office of Oil and Gas

WV Department of

NOV 1 4 2013

FORM WW-9 Rev. 02/01

Page	1	of	1	
API Number 47	061			
Operator's Well No.	F2-1	31		

306 Alta Vista Avenue Fairmont, West Virginia 26554 My Commission Expires July 7, 2017

STATE OF WEST VIRGINIA

DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name	Eastern A	Associated (Coal LLC	OP Code	
Watershed Th	omas Run		Quadrangle	Blacksville	
Elevation	1,218'	County	Monongalia	District	Clay
Description of anti	cipated Pit Wa	aste:	Plugging		
Will a synthetic lir	ner be used in	the pit?	No		
_	Land Ap Undergo Reuse (Off Site	oplication round Inject at API Num Disposal (S	Vastes: tion (UIC Permit Number_ bber Supply form WW-9 for dispo	osal location))
	Drilling Workov	er	Swabbi	g (no pit, steel tank	s used) Spw 11/13/13
PERMIT issued on Protection. I und condition of the ge I certify usubmitted on this immediately responsed am aware that to imprisonment.	n December 31 lerstand that neral permit a under penalty application fo nsible for obta here are signi	the provisiond/or other of law that rm and all tining the inficant penal.	the office of Oil and Gas of ons of the permit are enfapplicable law or regulation at I have personally examplated attachments thereto and the office of the submitting false in the little of the control of the latter of the la	the West Virginia I forceable by law. Very near lead to enforce ined and am family hat, based on my in the information, including the second s	Division of Environmental Violations of any term or ement action. iar with the information quiry of those individuals e, accurate, and complete. g the possibility of fine or
Company Official	Title	Desig	gnated Agent	98	
			14	Off	RECEIVED ice of Oil and Gas
Subscribed and sw My commission ex			day of October Notary Public		NOV 1 4 2013 NOV Department of CERCIAL SEAFORECTION TATE OF WEST VIRGINIA EDWARD Y. HOY

Property Boundary	Diversion				
Road =====	Spring	>			
Existing Fence — X X X X	WetSpot	な			
Planned Fence	Drain Pipe w	ith size in	inches	— @ —	→
Stream	Water Way		-<-		
Open Ditch	Cross Drain	\supset	///////		
Rock SSSS	Artificial Filt	er Strip	××××		
North N	Pit with Cut	Walls	E	>	
Buildings	Pit with Com	pacted Wa	lls	<u> </u>	-
Water Wells	Land Applicat	ion of Pit	Waste	<u> </u>	
Drill Site					
Proposed Revegetation Treatment: Acres Disturbe	d2	Preve	egetation pH		
Lime 4 Tons/ac	cre or to correc	t to pH _	6.5		_:
Fertilizer (10-20-20 or equivalent)	1,000	lbs/ac	re (500 lbs minin	num)	
Mulch Hay 150 Bales or 3	_ Tons/acre				
	Seed M	ixtures			
Area I				Area II	
Seed Type lbs/acre			Seed Type		lbs/acre
Annual Rye Grass 40 pounds		-	Tall Fescue		30 pounds
			Orchard Grass	1	15 pounds
			Ladine Clover		10 pounds
Attach: Drawing(s) of road, location,pit and proposed area	for land applic	ation.			
Photocopied section of involved 7.5' topographic she	eet.			Office	ECEIVED of Oil and Gas
			1011	rolHAT	4 4 0040
Plan Approved by:	7)_	1-12	1064	
Title: AS ASPECTO	20	Date:_	11/13/13		Department of mental Protection
Field Reviewed? () Yes	(No			Environ	mental



